ORDER FOR SUPPLIES OR SERVICES									PAGE 1 OF 6			
1. CONTRACT PURCH ORDER/AGREEMENT NO. 2. DELIVERY ORDER F42600-02-G-0002 BR38					/CALL NO.	(YYYYMMMDD)				QUEST NO.	5. PRIORITY DOA4	
6. ISSUEL) BY			BR38 CODE	W56HZV	7. ADMINIST	2004JUN22 SEE SCHEDULE 7. ADMINISTERED BY (If other than 6) CODE				0302A	8. DELIVERY FOB
TACOM WARREN BLDG 231 AMSTA-AQ-AHPB SHERRI HENDERSON (586)574-8135 WARREN, MICHIGAN 48397-5000 EMAIL: HENDERSS@TACOM.ARMY.MIL HTTP://CONTRACTING.TACOM.ARMY.MIL						DCM TWO 40	DCMA PHOENIX TWO RENAISSANCE SQUARE 40 N. CENTRAL AVENUE, SUITE 400 PHOENIX, AZ 85004-4424					DESTINATION X OTHER (See Schedule if other)
9. CONTR	ACTOR			CODE	02LU7	FACIL		10. DI		ADP PT: HQ033 OB POINT BY (Date)		11. X IF BUSINESS IS
	•						•	• (YYYYMMMDD)				SMALL
			L INTERNATIONAL WARNER ROAD	INC					SCHEDULE			SMALL
NAME TEMPE, AZ. 85285-2896 AND					12. DISCOUNT TERMS Net 30 Days					DISADVANTAGED		
ADDRESS	;											WOMAN-OWNED
	• TYPE F	RIISI	INESS: Large Bus	ginegg I	Performin	a in II S	•			S TO THE ADDRESS	IN BLOCK	
14. SHIP 7		1001	INESS. Harge Bus	CODE	CITOTILITIE	1	T WILL BE MADE I		Block 15	COD	Е НQ0339	MARK ALL
SEE SCHEDULE						DFA:	DFAS - COLUMBUS CENTER DFAS-CO/WEST ENTITLEMENT OPERATIONS P.O. BOX 182381 COLUMBUS, OH 43218-2381					PACKAGES AND PAPERS WITH IDENTIFICATION NUMBERS IN BLOCKS 1 AND 2
16. TYPE	DELIVERY/ CALL	х	THIS DELIVERY ORDER IS ISSUED ON ANOTHER GOVERNMENT AGENCY OR IN ACCORDANCE WITH AND SUBJECT TO TERMS AND CONDITIONS OF ABOVE NUMBERED CO								E NUMBERED CONTRACT.	
OF ORDER	PURCHASE		Reference your Oral Written Quotation, Dated furnish the following on terms specified herein.									
										MBERED PURCHASI AND AGREES TO PE		MAY PREVIOUSLY HAVE ME.
NAME OF CONTRACTOR SIGNATURE TYPED NAME AND TITLE DATE SIGNATURE X If this box is marked, supplier must sign Acceptance and return the following number of copies:												
17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE SEE SCHEDULE												
	18. ITEM NO. 19. SCHEDULE OF SUPPLIES/SERVICE						20. QUANTITY ORDERED/ ACCEPTED*	?	21. UNIT	22. UNIT PRICE	23. AMOUNT	
	CONT Fi KINI	TRAG irm- D OI	HEDULE CT TYPE: -Fixed-Price F CONTRACT: ly Contracts and	d Price	d Orders							
* If quantity	accepted by the				STATES OF A	AMERICA					25. TOTAL	\$28,294.00
same as qu	uantity ordered,	indic			DARYL F.	WITTE /SI	GNED/ MIL (586)574-	7196			26. DIFFERENCES	
quantity o	rdered and encir	rcle.	В	BY:				CON	TRACTING/O	ORDERING OFFICER	DIFFERENCE	'
	NTITY IN COLU			ACCEPTEL). AND CONFO	ORMS TO CON	FRACT EXCEPT AS	NOTE	D			
INSPECTED RECEIVED ACCEPTED, AND CONFORMS TO CONTI							c. DATE (YYYYMMMD)		OF AUTHORIZE	D GOVERNMENT		
e. MAILING ADDRESS OF AUTHORIZED GOVERNMENT REPRESENTATIVE							28. SHIP. NO.	28. SHIP. NO. 29. D.O. VOUCHER NO.			30. INITIALS	
						\vdash	32. PAID BY			33. AMOUNT V	/ERIFIED CORRECT FOR	
f. TELEPHONE NUMBER g. E-MAIL ADDRESS							FINAL					
36. I CERTIFY THIS ACCOUNT IS CORRECT AND PROPER FOR PAYMENT.						31. PAYMENT	YMENT 34. CHI COMPLETE			34. CHECK NU	HECK NUMBER	
a. DATE b. SIGNATURE AND TITLE OF CERTIFYING OFFICER						PARTIA				35. BILL OF L	ADING NO.	
(YYYYMMMDD)						FINAL	L					
37. RECEIVED AT 38. RECEIVED BY (Print) 39. DATE RECEIVED (YYYYMMMDD)					40. TOTAL CO TAINERS	N-	41. S/R ACCOUNT NUMBER 42. S/R VOUCHER N			IER NO.		

Reference No. of Document Being Continued

PIIN/SIIN F42600-02-G-0002/BR38

MOD/AMD

 $\pmb{Page} \quad \textit{2} \quad \pmb{of} \; \; \textit{6}$

Name of Offeror or Contractor: Honeywell international inc

SUPPLEMENTAL INFORMATION

Inspection, Acceptance and the FOB point shall be the contractor's facility:

11100 North Oracle Road Tucson, AZ 85740-8001

Packaging requirements/specifications appearing in this document are for reference purposes only. The contractor's approved SPI for packaging is acceptable providing it meets or exceeds the requirements setforth herein.

*** END OF NARRATIVE A 001 ***

Reference No. of Document Being Continued PIIN/SIIN F42600-02-G-0002/BR38 MOD/AMD

Page 3 **of** 6

Name of Offeror or Contractor: Honeywell international inc

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 2920-01-016-8472 FSCM: 64547 PART NR: 1549879-1 SECURITY CLASS: Unclassified				
0001AA	PRODUCTION QUANTITY	50	EA	\$ 565.88000	\$\$
	CLIN CONTRACT TYPE: Firm-Fixed-Price NOUN: END BELL, ELECTRICAL PRON: EH4Y8120EH PRON AMD: 01 ACRN: AA AMS CD: 060011				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING REQUIREMENTS CLAUSE UNIT PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: B				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV4082T771 W31G1Z J 2 DEL REL CD QUANTITY DEL DATE 001 50 21-OCT-2004				
	FOB POINT: Origin SHIP TO: FREIGHT ADDRESS (W31G1Z) XR W0L7 ANNISTON MUNITIONS CENTER TRANS OFFICER 256 235 6837 CL V 7 FRANKFORD AVE BLDG 380 ANNISTON AL 36201-4199				
	CONTRACT/DELIVERY ORDER NUMBER F42600-02-G-0002/BR38				

CONTINUATION SHEET				Reference No. of Document Being Continued						Page 4 of 6	
	CONTIN	UATION	SHEET	PIIN/SIIN F42600-02-G-0002/BR38			MOD/AMD				
Name of Offeror or Contractor: HONEYWELL INTERNATIONAL INC											
CONTRACT ADMINISTRATION DATA											
	PRON/						JOB				
LINE	AMS CD/	OBLG					ORDER	ACCOUNTI	NG	OBLIGATED	
<u>ITEM</u>	MIPR	ACRN STAT	ACCOUNTING	CLASSIFICATION			NUMBER	STATION		AMOUNT	
0001AA	EH4Y8120EH	AA 2	97 X4930A	C9D 6D	26KB	S20113		W56HZV	\$	28,294.00	
	060011										
								TOTAL	\$	28,294.00	
SERVICE	1						ACCOU	NTING		OBLIGATED	
NAME		L BY ACRN	ACCOUNTING	CLASSIFICATION			STATIO	ON		AMOUNT	
Army		AA	97 X4930A	C9D 6D	26KB	S20113	W56HZ	V	\$ _	28,294.00	
								TOTAL	\$	28,294.00	

Reference No. of Document Being Continued

PIIN/SIIN F42600-02-G-0002/BR38

MOD/AMD

Page 5 of 6

Name of Offeror or Contractor: HONEYWELL INTERNATIONAL INC

CONTRACT CLAUSES

Regulatory Cite Title Date

52.211-4516 PACKAGING REQUIREMENTS (SELECTIVE GROUP PACKAGING REQUIREMENTS) MAR/2004

- (a) Military preservation, packing, and marking for this contract shall be accomplished in accordance with the specific requirements identified below and all the applicable requirements of MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 including Notice 1, Dated 10 May 2002.
 - (1) LEVEL OF PRESERVATION: Military
 - (2) LEVEL OF PACKING: B
 - (3) QUANTITY PER UNIT PACKAGE: 001
- (b) MIL-STD-2073-1, Appendix J establishes and defines codes used in describing military packaging methods and materials. The following codes from Appendix J apply:
 - (1) Preservation Method Code: 41 (Table j.i. and j.ia.)
 - (2) Cleaning Procedure Code: 1
 - (3) Preservative Material Code: 10 (Table j.iii)
 - (4) Wrapping Material Code: GH (Table j.iv)
 - (5) Cushioning and Dunnage Code: NA (Table j.v)
 - (6) Thickness of Cushioning or Dunnage Code: X (Table j.vi)
 - (7) Unit Container Code: ZZ (Table j.vii)
 - (8) Intermediate Container Code: 00 (Table j.vii)
 - (9) Quantity per Intermediate Container Code: AAA (Appendix J.4.11)
 - (10) Packing Code: A (Table j.IX and J.IXa)
 - (11) Special Marking Code: 00 (Table j.x)
- (c) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage
 - (d) Marking:
- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129P(2), dated 10 Feb. 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3

Reference No. of Document Being Continued

PIIN/SIIN F42600-02-G-0002/BR38

MOD/AMD

Page 6 of 6

Name of Offeror or Contractor: Honeywell international inc

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".

- (4) Computer Automated Transportation Tool (CATT). The following website provides detailed instructions for downloading and installing the Military Shipment Label/Issue Receipt Document (CATT MSL/IRRD) software that will generate a Military Shipping Label to include the required Code 39 and 2D(PDF417) bar codes on the label: https://www.asset-trak.com/catt/msl_irrd/mslirrdmain.htm This program was developed by the Army and is free to those with government contracts. Two contractors have introduced a version of the MSL software that can be purchased by contractors. Both programs produce labels that appear to be in compliance with the requirements of MIL-STD-129P. Contractors are MILPAC (http://milpac.com/) and Easysoft Corporation (http://easysoftcorp.com/). Ensure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.
- (e) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.
- (f) These packaging requirements are intended to provide protection against environmentally induced corrosion and deterioration, physical and mechanical damage, and other forms of degradation during storage, multiple handling, and shipment associated with the military distribution system. The Government encourages contractors to submit requests for changes that will result in savings or improve the packaging. Please submit request for changes in accordance with the RFD clause of the contract. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, blocking, bracing, cushioning, and packing at contractors expense.
 - (g) Hazardous Materials(as applicable):
- (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Code (IMDG)
Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO
. P4030.19/DLAM 4145.3 (for military air shipments)

- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
 - (h) SUPPLEMENTAL INSTRUCTIONS: UNIT CONTAINTER SHALL BE BAG BS AND BOX ED

[End of Clause]